

# MARLEY'S NEW LOOK INSPECTION ELBOWS AND TEES **DESIGNED TO BE BETTER**

› EASIER INSTALL   › LONG TERM DURABILITY   › FRESH MODERN LOOK



# INSTALLER BENEFITS

In consultation with contractors, Marley has taken the opportunity to enhance our range of Inspection tees and elbows. The new design has a fresh building services look and feel, will improve on the time taken to install electrical wiring systems, and will still achieve long term mechanical durability.

## EASE OF INSTALLATION

- › Significantly improved internal access with greater surface opening
- › Smooth internal surface design for ease of hauling (no snags, chamfers or lips)
- › Base stabilisers prevent rocking when fixing against wall
- › Tongue & groove "friction fit" lid system for ease of fitting and removal
  - Friction fit lid to body
  - Captive screws secured to lid
  - Finger "lift" location for ease of removal

## INNOVATIVE DESIGN FOR FUNCTIONALITY

- › New Zealand Patent Application No. 758130
- › New Zealand Design Application No. 426656

## LONG TERM MECHANICAL DURABILITY

- › Heavy Duty mechanical durability
- › UV (T) stabilised for above ground applications
- › Independently certified to meet AS/NZS 61386
- › Strong "one-piece" socket design that fully supports the spigot joint
- › IP52 protection for above ground use (rated for screwed lid without solvent cement or O-rings)
- › Corrosion resistant stainless steel fasteners

## MODERN LOOK & FEEL

- › Industrial design (metal fabrication look) for a professional finish
- › Blends in with existing building services commonly used with interior fit outs
- › Colour matched to ARMA® rigid conduit

# PRODUCT DETAILS

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	ABOVE GROUND	CODE	BELOW GROUND
<b>INSPECTION ELBOW 90°</b>						
20	20*	5.53	13.20G		13.200	
25	20*	5.94	13.25G		13.250	
32	10*	8.41	13.32G		13.320	
<b>INSPECTION TEES</b>						
20	20*	6.92	14.20G		14.200	
25	10*	7.65	14.25G		14.250	
32	10*	9.29	14.32G		14.320	



\*Below Ground Pack Size = 5 units

PRODUCT FEATURES	UV PROTECTION (T)	CAT A UNDERGROUND	HD HEAVY DUTY 4431	SERVICE TEMPERATURE RANGE	HIGH GLOSS FINISH	COLOUR MATCH	EXTENSIVE FITTINGS RANGE	QUALITY OF CUT	COMPLIANCE
	ABOVE GROUND	✓		✓	✓	✓	✓	✓	✓
BELOW GROUND		✓	✓	✓	✓	✓	✓	✓	✓

## NEW INSPECTION TEES (DN 20,25,32mm)

### EASE OF INSTALLATION



- › Increased internal access with greater surface opening
- › Smooth internal surface with no lips makes hauling cables easier
- › Optimised lid fitment
  - Finger lift location for ease of removal
  - Tongue & groove system with "friction fit" when securing to body
  - Captive screws secured to lid (25 & 32mm only)
  - Less screws required (2 instead of 3)



## NEW INSPECTION ELBOWS (DN 20,25,32mm)

### EASE OF INSTALLATION

- › Increased internal access with greater surface opening
- › Smooth internal surface with no lips makes hauling cables easier
- › Base stabilisers prevent rocking when fixing against wall
- › Optimised lid fitment
  - Finger lift location for ease of removal
  - Tongue & groove system with "friction fit" when securing to body
  - Captive screws secured to lid (25 & 32mm only)



## Sustainable Manufacturing

Marley is committed to creating environmentally sustainable processes and products and was the first plastics manufacturer in New Zealand to achieve ISO14001 registration. We are also Best Environmental Practice certified for our entire range of manufactured uPVC systems. This means we get our raw materials from sustainable and responsible sources, continuously work on our manufacturing processes to reduce our environmental footprint and accept our products back at the end of their useful life for recycling.



 FOLLOW US @MARLEYNEWZEALAND

### DISCLAIMER

This sales brochure has been compiled by Marley New Zealand Limited ("The Company") and is supplied subject to acknowledgment of the following conditions:

The sales brochure is protected by Copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. Prices are subject to change, product specifications, usage data and advisory information may also change from time to time with advances in research and field experience. The Company reserves the right to make such changes to price or product information at any time without notice. Correct usage of the Company's products involve engineering judgements which cannot be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything and of the consequences of anything done or omitted to be done by any such person in reliance whether whole or partial upon the whole or any part of the contents of this publication. No offer to trade, nor any conditions of trading, are expressed or implied by the issue or content of this manual. Nothing herein shall override the Company's Conditions of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. This price book is and shall remain the property of the Company, and shall be surrendered on demand to the Company.

MAR3986 November 2019

OUR PARTNERS



REGISTERED MASTER BUILDERS  
**ASSOCIATE  
MEMBER**



For more information: **0800 MARLEY (0800 627539)** | [www.marley.co.nz](http://www.marley.co.nz)

 **MARLEY**  
by **alixis**